#### SEQUENCE LISTING

### (1) GENERAL INFORMATION:

- (i) APPLICANT: SAMSON, MICHEL PARMENTIER, MARC VASSART, GILBERT LIBERT, FREDERICK
- (ii) TITLE OF INVENTION: ACTIVE AND INACTIVE CC-CHEMOKINES RECEPTOR AND NUCLEIC ACID MOLECULES ENCODING SAID RECEPTOR
- (iii) NUMBER OF SEQUENCES: 17
  - (iv) CORRESPONDENCE ADDRESS:
    - (A) ADDRESSEE\ Knobbe, Martens, Olson & Bear
  - (B) STREET: 620 Newport Center Drive 16th Floor
    - (C) CITY: Newport Beach
- (D) STATE: CA
- [E] COUNTRY: U.S.A.

T.

(IV) COMPUTER READABLE FORM:

- (A) MEDIUM TYPE: Rloppy disk
- (B) COMPUTER: IBM RC compatible
- (C) OPERATING SYSTEM: PC-DOS/MS-DOS
- (D) SOFTWARE: Paten In Release #1.0, Version #1.25 (EPO)
- (vi) CURRENT APPLICATION DATA:
  - (A) APPLICATION NUMBER \ 08/833,752
  - (B) FILING DATE: 9-APR-1√997
  - (C) CLASSIFICATION:
  - (viii) ATTORNEY/AGENT INFORMATION:
    - (A) NAME: Altman, Daniel E
    - (B) REGISTRATION NUMBER: 34, 15
    - (C) REFERENCE/DOCKET NUMBER:
- (2) INFORMATION FOR SEQ ID NO: 1:
  - (i) SEQUENCE CHARACTERISTICS:
    - (A) LENGTH: 792 base pairs
    - (B) TYPE: nucleic acid
    - (C) STRANDEDNESS: single
    - (D) TOPOLOGY: linear
  - (ii) MOLECULE TYPE: DNA (genomic)

#### (ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 240..791

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 1:

TATGTAGGCA ATTAAAAACC TATTGATGTA TAAAACAGTT TGCATTCATG GAGGGCAACT  AAATACATTC TAGGACTTTA TAAAAGATCA CTTTTTATTT ATGCACAGGG TGGAACAAG  ATG GAT TAT CAA GTG TCA AGT CCA ATC TAT GAC ATC AAT TAT TAT ACA  Met Asp Tyr Gln Val Ser Ser Pro Ile Tyr Asp Ile Asn Tyr Tyr Thr  1
ATG GAT TAT CAA GTG TCA AGT CCA ATC TAT GAC ATC AAT TAT TAT ACA  Met Asp Tyr Gln Val Ser Ser Pro Ile Tyr Asp Ile Asn Tyr Tyr Thr  10  15
Met Asp Tyr Gln Val Ser Ser Pro Ile Tyr Asp Ile Ash Tyr Tyr Illi
$_{1}$
1 1
TCG GAG CCC TGC CAA AAA AIC AAI GIG AAG CAA AIC GGI GGG GGG GIG
Ser Glu Pro Cys Gln Lys Ile Asn Val Lys Gln Ile Ala Ala Arg Leu
20 25 30 .
CTG TCT CCG CTC TAC TCA CTG GTG TTC ATC TTT GGT TTT GTG GGC AAC 383
Leu Pro Pro Leu Tyr Ser Leu Val Phe Ile Phe Gly Phe Val Gly Asn
35 40 45
ATG CTG ATC CTC ATC CTG ATA AAC TGC AAA AGG CTG AAG AGC ATG 431
Met Leu Val Ile Leu Ile Leu Ile Asn Cys Lys Arg Leu Lys Ser Met
A CONTRACTOR AND THAT I II. AAC CIG GCC AIC ICE CALC ICE
ThruAsp Ile Tyr Leu Leu Asn Leu Ala Ile Ser Asp Leu Phe Phe Leu
CTT ACT GTC CCC TTC TGG GCT CAC TAT GCT GCC GCC CAG TGG GAC TTT 527
Leu団hr Val Pro Phe Trp Ala His Tyr Ala Ala Ala Gin Trp Asp Phe
ni 85 90 90 95
CCA FART ACA ATC TGT CAA CTC TTG ACA GGG CTC TAT TTT ATA GGC TTC 5/5
Gly Asn Thr Met Cys Gln Leu Leu Thr Gly Leu Tyr Phe Ile Gly Phe
$\sim$ 100 105 $\sim$ 110
TTC TCT GGA ATC TTC ATC ATC CTC CTG ACA ATC GAT AGG TAC CTG 623
Phe Ser Gly Ile Phe Phe Ile Ile Leu Leu Thr Ile Asp Arg Tyr Leu
GCT GTC GTC CAT GCT GTG TTT GCT TTA AAA GCC AGG ACG GTC ACC TTT 671
GCT GTC GTC CAT GCT GTG TTT GCT TTA AAA GCC NGG TDT Val Thr Phe
Ala Val Val His Ala Val Phe Ala Leu Lys Ala Arg Thr Val Thr Phe
Property of the Alla Alla Alla Alla Alla Alla Alla All
Gly Val Val Thr Ser Val Ile Thr Trp Val Val Ala Val Phe Ala Ser
145 150 155 160
CTC CCA GGA ATC ATC TTT ACC AGA TCT CAA AAA GAA GGT CTT CAT TAC 767
Leu Pro Cly Tle Tle Phe Thr Arg Ser Gln Lys Glu Gly Leu His Tyr
165 170 173
ACC TGC AGC TCT CAT TTT CCA TAC A 792
Thr Cys Ser Ser His Phe Pro Tyr
180

# (2) INFORMATION FOR SEQ ID NO: 2:

### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 1477 base pairs(B) TYPE: nucleic acid(C) STRANDEDNESS: single

- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)

#### (ix) FEATURE:

(A) NAME/KEY: CDS

(B) LOCATION: 240..1295

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 2:

•	_			•											
GAATTCCCC	CC A	ACAG	AGCC	'A AC	CTCI	CCAT	CTA	GTGG	ACA	GGG	AGCI	'AG C	CAGC	AACCT	60
magagrana (	ጣጥ አ	תתתת	አ ርጥባ	יר איז	ጥርርባ	ጕርርር	: CAA	AAAG	AGA	GTTF	$m_{ m LL}$	AA.	GIAC	MCHIC	120
നമന്റ്റ് സ്റ്റ്	יא איי	ת תידידי	סמממ	יר די	<u>ነ</u> ጥጥር ጀ	<b>ጥርጥ</b> ጀ	AAT A	AAACA	\GTT	TGCF	ALLCE	TIG C	) D D Mc	CAACL	180
3 3 3 (1) (1) (1)	TO T	スペペス	COUNTY	לידו רגי	ממממ	<u>יארר</u> ב	רידים ג	ኘጕጕጕጕ	VI'I'I	ATG	ACAC	ا می ا	TASS 1	DMAJI	239
2 ma # 2 2 m c	T1 N (T1	(1 N N	CTC	ጥሮአ	νст	<b>ሮሮ</b> ል	ልጥሮ	TAT	GAC	ATC	AAT	IAI	IWI	ACA .	287
Met Asp	Tyr	Gln	Val	Ser	Ser	Pro	Ile	Tyr	Asp	Ile	Asņ	lyr	TAT	Thr	
- ter			5					10					10		335
TCG GAG	CCC	TGC	CAA	AAA	ATC	AAT	GTG	AAG	CAA	ATC	Ala	Ala	Ara	T.OU	555
Ser Glu	Pro		Gln	Lys	Ile	Asn	vaı	ьуs	GIII	116	AIA	30	Arg	пси	
CTG <u>CCT</u>		20	m > 0	man.	OTC.	CTC	25 TTC	አጥር'	ጥጥጥ	CCT	ጥጥጥ		GGC	AAC	383
CTG*CCT (	CCG	CTC	TAC	TCA	LIG	Ual	Dho	Tle	Dhe	Glv	Phe	Val	Glv	Asn	•
Leugro	Pro	Leu	TYL	Ser	пеп	40	FIIC	110	1 110	0-7	45		- 1		
ATGILCTG	35	አጥሮ	СТС	አጥC	СТС		AAC	TGC	AAA	AGG	CTG	AAG	AGC	ATG	431
Met Leu '	Ual Val	Tle	T.eu	Tle	Leu	Tle	Asn	Cvs	Lys	Arg	Leu	Lys	Ser	Met	
<del>~</del> €0					55					60					
א רייני ביא ריי	ΔͲϹ	TAC	CTG	CTC	AAC	CTG	GCC	ATC	TCT	GAC	CTG	TTT	TTC	CTT	479
Thr Asp	Tle	Tvr	Leu	Leu	Asn	Leu	Ala	Ile	Ser	Asp	Leu	Phe	Phe	пeп	
C E				70					75					00	
משש אכייי ו	GTC	CCC	TTC	TGG	GCT	CAC	TAT	GCT	GCC	GCC	CAG	TGG	GAC	TTT	 527
Leu Thr	Val	Pro	Phe	Trp	Ala	His	Tyr	Ala	Ala	Ala	Gln	Trp	Aph	Phe	
			25					90					93		575
GGA AAT	ACA	ATG	TGT	CAA	CTC	TTG	ACA	GGG	CTC	TAT	TTT	ATA	Cle	Dho	5/5
Gly Asn	Thr	Met	Cys	Gln	Leu	Leu	Thr	Gly	Leu	Tyr	Pne	110	GIY	PHE	
		100					105					TIO			623
TTC TCT	GGA	ATC	TTC	TTC	ATC	ATC	CTC	CIG	ACA	TIO	Agn	Ara	Tyr	Leu	023
Phe Ser	Gly	Ile	Phe	Phe	11e	116	Leu	Leu	1111	116	125	nr 9	-1-	Dou	
GCT GTC	115	~~ ~	aam	O.T.O.	നനന	120	י. י	מממ	GCC	AGG		GTC	ACC	TTT	671
GCT GTC (	GTC	CAT	GCT	GIG	Dho	אוס	LAU	Tare	Δla	Arg	Thr	Val	Thr	Phe	
	vai	HIS	Ala	yaı	135	міа	пец	БуЗ	nια	140					•
130 GGG GTG	CITIC	ארש	አርጥ	стс	አጥር ፲33	αст	TGG	GTG	GTG		GTG	TTT	GCG	TCT	719
Gly Val	77-1 G1G	Thr	Sor	Val	Tle	Thr	Trp	Val	Val	Ala	Val	Phe	Ala	Ser	
115				150					155					100	
כיים ככא	CGA	ΔͲϹ	ΔTC	ጥጥጥ	ACC	AGA	TCT	CAA	AAA	GAA	GGT	CTT	CAT	TAC	767
Leu Pro	Glv	Tle	He	Phe	Thr	Ara	Ser	Gln	Lys	Glu	Gly	Leu	UTS	Tyr	
Dea Fro	~ <i>I</i>		165	_ 3		,		170	•				175		

ACC Thr	TGC Cys	AGC Ser	Ser	CAT His	TTT Phe	CCA Pro	TAC Tyr	Ser	CAG Gln	TAT Tyr	CAA Gln	TTC Phe	TGG Trp 190	AAG Lys	AAT Asn	815
TTC	CAG	ACA	180 TTA	AAG	ATA	GTC	ATC	185 TTG	GGG	CTG	GTC Val	CTG	CCG	CTG Leu	CTT Leu	863
							700					203				
GTC	ATG	~~~	ATC	TGC	TAC	TCG	GGA	ATC	CTA	AAA	ACT	CTG	CTT	CGG	TGT	911
Val	Met	Val	Ile	Cys	Tyr	Ser	GIY	TTE	ьeu	гуѕ	220	neu	пеα	n. y	CYS	
CCA	210 AAT	GAG	AAG	AAG	AGG	CAC	AGG	GCT	GTG	AGG	CTT	ATC	TTC	ACC	ATC	959
Arg	Asn	Glu	Lys	Lys	Arg	His	Arg	Ala	Val	Arg	Leu	Ile	Phe	Thr	11e 240	
					ววก					233	AAC				210	1007
ATG	ATT	GTT Val	TAT	Phe	Leu	Phe	Trp	Ala	Pro	Tyr	Asn	Ile	Val	neu	ПСЛ	
				215					フラロ					233		1055
CTG	AAC	ACC	TTC	CAG	GAA	TTC	TTT	GGC	CTG	AAT	AAT Asn	Cvs	Ser	Ser	Ser	1033
	<del></del>		$\alpha c \alpha$					ノカラ					210			
AAC	AGG	TTG	~~~	CAA	GCT	ATG	CAG	GTG	ACA	GAG	ACT	CTT	GGG	ATG	ACG	1103
Asn	Arg	Leu	Asp	Gln	Ala	Met	Gln 280	Val	Thr	GIU	Thr	ьец 285	GIY	Mec	1111	
כאכ	<u> </u>	275 TGC	АТС	AAC	CCC	ATC	<b>አ</b> ጥሮ	TAT	GCC	TTT	GTC	GGG	GAG	AAG	TTC	1151
His	Cys	Cys	Ile	Asn	Pro	Ile	Ile	Tyr	Ala	Phe	vai	Gly	Glu	Lys	Phe	
	11600					295					300 ATT					1199
AGA	₩AAC • Aen	TAC	Teu	Leu	Val	Phe	Phe	Gln	Lys	His	Ile	Ala	Lys	Arg	FIIC	
205	- T				マコハ					313					220	1247
	<del>-</del>	TGC	TGT	TCT	ATT	TTC	CAG	CAA	GAG	GCT	CCC Pro	GAG	Arg	Ala	Ser	1247
	==			つつに					- 330					222		
TCA	_ _GTT	TAC	ACC	CCA	TCC	ACT	GGG	GAG	CAG	GAA	ATA	TCT	GTG	GGC	TTG	1295
Ser	"Wal	Tyr	Thr	Arg	Ser	Thr	Gly	G1u 345	GIn	GIU	m	Ser	350	Gry	Leu	
ጥርን	CACC	GAC	340 TCDD	amaa	GC T	GGTG	ACCC	A GT	CAGA	GTTG	TGC	ACAT	GGC	TTAG	TTTTCA	1355
	~	~~~	~~~~	maaa	ረራ ሞ	እየርርጥ	TCCNI	NI CZA	(3(3.1.(.)	1"1"1"1	LIA	HANG	GMA	GIIL	CIGIII	1415 1475
TAG	AGGG	TCT	AAGA	TTCA	TC C	TTTA	TTTA	G GC	ATCT	GTTT	AAA	GTAG	ATT	AGAT	CCGAAT.	1475
TC																

### (2) INFORMATION FOR SEQ ID NO: 3:

- (i) SEQUENCE CHARACTERISTICS:
  - $(\tilde{A})$  LENGTH: 1442 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: DNA (genomic)
- (ix) FEATURE:
  - (A) NAME/KEY: CDS

### (B) LOCATION: 240..884

# (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 3:

	<b>\</b> .	_	-														
רממה	ידכככ	CC A	ACAG	AGCC	A AC	CTCT	CCAT	CTA	GTGG	ACA	GGGA	AGCI	'AG C	'AGCA	AACCT		60
maaa	amma A		ת ת ת ת	תיים מ	יר מיז	ידיככיו	$^{\circ}$ TGGC	CAA	AAAG	AGA	GTTP	$\Delta$ TTC	AA 1	GIAG	ACAIC		120
m x m/	ישא מיכ	ירא א	ממיייתי	מממ	ጉፖ ጥጆ	ኒጥጥርያ	TGTA	TAA	LAACA	$^{1}GTT$	TGCP	LICA	ITG C	<b>JOON</b>	CHACI		180
3 3 3 7	72020	יייי איייי	יא כיכיא	CTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT	מידי מי	ΣΑΔΑΩ	BATCA	CTT	TTTT	TTT	ATGC	ACAG	د ځای	GGAA	LCAAG		239
3 m/d	CAT	ጥአጥ	ממים	CTG	TCA	AGT	CCA	ATC	TAT	GAC	ATC	AAT	TAI	IAI	ACA		287
Mot	Ven	Tyr	Gln	Val	Ser	Ser	Pro	Ile	Tyr	Asp	Ile	Asn	Tyr	Tyr	Thr		
- 1	_			5					10					13			
TCG	GAG	CCC	TGC	CAA	AAA	ATC	AAT	GTG	AAG	CAA	ATC	GCA	GCC	CGC	CTC		335
Ser	Glu	Pro	Cvs	Gln	Lvs	Ile	Asn	Val	Lys	Gln	Ile	Ala	Ala	Arg	Leu .		
			20					25					30				
CTC	CCT	CCG	CTC	TAC	TCA	CTG	GTG	TTC	ATC	TTT	GGT	TTT	GTG	GGC	AAC		383
Tou	Dro	Pro	Len	Tvr	Ser	Leu	Val	Phe	Ile	Phe	Gly	Phe	Val	Gly	Asn		
	<b>_</b>	35					40					45			•		
አጥር	A TOP	CTC	ΔTC	CTC	ATC	·CTG	ATA	AAC	TGC	AAA	AGG	CTG	AAG	AGC	ATG		431
Mot	Ψ	Ual	Tle	Leu	Tle	Leu	Ile	Asn	Cvs	Lys	Arg	Leu	Lys	Ser	Met .		
	₩ <sub>E</sub> Λ					55					60						
א כיתי	₩ <sub>A</sub> ,	አጥር	ጥልሮ	СТС	СТС	AAC	CTG	GCC	ATC	TCT	GAC	CTG	TTT	TTC	CTT		479
Th~	MCD	Tla	Tur	Len	Leu	Asn	Leu	Ala	Ile	Ser	Asp	Leu	Phe	Phe	Leu		
65	TLI '				70					75					80		
CTT	NOT.	CTC	CCC	ጥጥር	TGG	GCT	CAC	TAT	GCT	GCC	GCC	CAG	TGG	GAC	TTT		527
CII	ALC I	Val	Pro	Phe	Trp	Ala	His	Tvr	Ala	Ala	Ala	Gln	Trp	Asp	Phe		
	<b>~</b>			25					90					93			
CCA	EE NOT	א כיא	አጥር	тст	CAA	CTC	TTG	ACA	GGG	CTC	TAT	TTT	ATA	GGC	TTC		<b>57</b> 5
GGA	ENO.	Thr	Mot	Cve	Gln	Leu	Leu	Thr	Glv	Leu	Tyr	Phe	Ile	Gly	Phe		
GLY	<b>日本211</b>	1111	100	Cys	0111	200		105	1		•		110				
mma	÷as Con e‡=	CCA	ATC.	TTC	ጥጥር	ATC	ATC	CTC	CTG	ACA	ATC	GAT	AGG	TAC	CTG		623
TIC	:Co~ Fici	Clv	Tlo	Dhe	Dhe	Ile	Tle	Leu	Leu	Thr	Ile	Asp	Arg	Tyr	Leu		
Pne	₽er.	115	116	FIIC	1110	110	120					125	_				
CCT	СТС	CTC	СУТ	CCT	GTG	TTT	GCT	TTA	AAA	GCC	AGG	ACG	GTC	ACC	TTT		671
31-	77-1	Wal	Uic	λla	Val	Phe	Ala	Leu	Lvs	Ala	Arq	Thr	Val	Thr	Phe		
Ala		vai	nis	ALU	141	135			-1		140						
CCC	130	CTC	א כיא	λСΤ	GTG	Δጥሮ	ACT	TGG	GTG	GTG	GCT	GTG	TTT	GCG	TCT		719
GGG	77-1	Ual	Thr	Ser	Val	Ile	Thr	Trp	Val	Val	Ala	Val	Phe	Ala	Ser		
		vai	IIIL	JCI	150					155					160		
145	CCA	CCA	አጥሮ	אתר	ידידית	ACC	AGA	тст	CAA	AAA	GAA	GGT	CTT	CAT	TAC		767
CIC	CCA	Clv	TIO	TIA	Dhe	Thr	Ara	Ser	Gln	Lvs	Glu	Gly	Leu	His	Tyr		
Leu	PIO	GIY	116	165	1110		••- 5	001	170	-1-		-		175			
	maa.	300	ጥርጥ	CVT	ጥጥጥ	CCA	ТАС	ΑΤΤ	AAA	GAT	AGT	CAT	CTT	GGG	GCT		815
ACC	760	AGC	Cor	Uic	Dhe	Pro	Tvr	Tle	Lvs	Asp	Ser	His	Leu	Gly	Ala		
Inr	Cys	261	180	uis	FIIC	110	-1-	185	_,				190	_		•	
COM	CCIT	000	100	CCT	ጥርጥ	CAT	ССТ	CAT	CTG	СТА	CTC	GGG	AAT	CCT	AAA		863
GGT	CCT	37-	21-	712	Cvc	His	Glv	His	Leu	Len	Leu	Glv	Asn	Pro	Lys		
GIY	Pro			Ala	Cys	nrs	200	1115	Deu	Dea	20-	205			•		
	<b></b>	195	maa	CTC	TCC	AAA	TCD(	2220	AAG	<b>AGGC</b>	ACAG		TGTG	AGGC'	f r		914
AAC	TCT	GCT	700	77-1	202	Lve	IGA										
Asn			ser	val	261	Lys 215											
m >	210	N C C	አመረጉ	ጥ/ግ አ ጥ	ጥር ጥ	™™™™ ™ × × × × × × × × × × × × × × × × ×	ייייייי	ד כייי	ጥርጥር	ርርርጥ	CCC	TACA	ACA	TTGT	CCTTCT		974
TAT	CITC	ACC	A1 CA	IGAI	10 1	TIMI				JUU 1							

CCTCAACACC	TTCCAGGAAT	TCTTTGGCCT	GAATAATTGC	AGTAGCTCTA	ACAGGTTGGA	1034
CCIGAACACC	CAGGTGACAG	AGACTCTTGG	GATGACGCAC	TGCTGCATCA	ACCCCATCAT	1094
CTATCCCTTT	GTCGGGGAGA	AGTTCAGAAA	CTACCTCTTA	GTCTTCTTCC	AAAAGCACAT	1154
TGCCAAACGC	TTCTGCAAAT	GCTGTTCTAT	TTTCCAGCAA	GAGGCTCCCG	AGCGAGCAAG	1214
CTCACTTTAC	ACCCGATCCA	CTGGGGAGCA	GGAAATATCT	GTGGGCTTGT	GACACGGACT	1274
CANGTGGGCT	GGTGACCCAG	TCAGAGTTGT	GCACATGGCT	TAGTTTTCAT	ACACAGCCTG	1334
CCCTCCCCCCT	GGTTGGGAGG	TCTTTTTTAA	AAGGAAGTTA	CTGTTATAGA	GGGTCTAAGA	1394
TTCATCCATT	TATTTGGCAT	CTGTTTAAAG	TAGATTAGAT	CCGAATTC		1442

#### (2) INFORMATION FOR SEQ ID NO: 4:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 184 amino acids
  - (B) TYPE: amino acid
  - (D) TOPOLOGY: linear
- Gii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 4:
- Met Asp Tyr Gln Val Ser Ser Pro Ile Tyr Asp Ile Asn Tyr Tyr Thr 10 Ser Glu Pro Cys Gln Lys Ile Asn Val Lys Gln Ile Ala Ala Arg Leu 25 20 Leu Pro Pro Leu Tyr Ser Leu Val Phe Ile Phe Gly Phe Val Gly Asn 40 Met虹eu Val Ile Leu Ile Leu Ile Asn Cys Lys Arg Leu Lys Ser Met 55 Thr‡Asp Ile Tyr Leu Leu Asn Leu Ala Ile Ser Asp Leu Phe Phe Leu 75 70 Leu Thr Val Pro Phe Trp Ala His Tyr Ala Ala Ala Gln Trp Asp Phe 90 Gly Asn Thr Met Cys Gln Leu Leu Thr Gly Leu Tyr Phe Ile Gly Phe 105 Phe Ser Gly Ile Phe Phe Ile Ile Leu Leu Thr Ile Asp Arg Tyr Leu 125 120 115 Ala Val Val His Ala Val Phe Ala Leu Lys Ala Arg Thr Val Thr Phe 140 Gly Val Val Thr Ser Val Ile Thr Trp Val Val Ala Val Phe Ala Ser

Leu Pro Gly Ile Ile Phe Thr Arg Ser Gln Lys Glu Gly Leu His Tyr

(2) INFORMATION FOR SEQ ID NO: 5:

180

165 Thr Cys Ser Ser His Phe Pro Tyr

(i) SEQUENCE CHARACTERISTICS:

150

- (A) LENGTH: 352 amino acids
- (B) TYPE: amino acid

- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5:

Met Asp Tyr Gln Val Ser Ser Pro Ile Tyr Asp Ile Asn Tyr Tyr Thr Ser Glu Pro Cys Gln Lys Ile Asn Val Lys Gln Ile Ala Ala Arg Leu 25 Leu Pro Pro Leu Tyr Ser Leu Val Phe Ile Phe Gly Phe Val Gly Asn 40 Met Leu Val Ile Leu Ile Leu Ile Asn Cys Lys Arg Leu Lys Ser Met 55 . Thr Asp Ile Tyr Leu Leu Asn Leu Ala Ile Ser Asp Leu Phe Phe Leu 75 70 Leu\_Thr Val Pro Phe Trp Ala His Tyr Ala Ala Ala Gln Trp Asp Phe Gly Asn Thr Met Cys Gln Leu Leu Thr Gly Leu Tyr Phe Ile Gly Phe 105 100 Phe Ser Gly Ile Phe Phe Ile Ile Leu Leu Thr Ile Asp Arg Tyr Leu 125 120 115 Ala Wal Val His Ala Val Phe Ala Leu Lys Ala Arg Thr Val Thr Phe 140 135 Gly Wal Val Thr Ser Val Ile Thr Trp Val Val Ala Val Phe Ala Ser 150 Leu Pro Gly Ile Ile Phe Thr Arg Ser Gln Lys Glu Gly Leu His Tyr 170 165 Thracys Ser Ser His Phe Pro Tyr Ser Gln Tyr Gln Phe Trp Lys Asn 190 185 180 Phe Cln Thr Leu Lys Ile Val Ile Leu Gly Leu Val Leu Pro Leu Leu 205 200 Val'Met Val Ile Cys Tyr Ser Gly Ile Leu Lys Thr Leu Leu Arg Cys 215 Arg Asn Glu Lys Lys Arg His Arg Ala Val Arg Leu Ile Phe Thr Ile 235 230 Met Ile Val Tyr Phe Leu Phe Trp Ala Pro Tyr Asn Ile Val Leu Leu 250 Leu Asn Thr Phe Gln Glu Phe Phe Gly Leu Asn Asn Cys Ser Ser Ser 260 Asn Arg Leu Asp Gln Ala Met Gln Val Thr Glu Thr Leu Gly Met Thr 285 280 His Cys Cys Ile Asn Pro Ile Ile Tyr Ala Phe Val Gly Glu Lys Phe 300 295 Arg Asn Tyr Leu Leu Val Phe Phe Gln Lys His Ile Ala Lys Arg Phe 310 Cys Lys Cys Cys Ser Ile Phe Gln Glu Ala Pro Glu Arg Ala Ser 330 325 Ser Val Tyr Thr Arg Ser Thr Gly Glu Gln Glu Ile Ser Val Gly Leu 345

#### (2) INFORMATION FOR SEQ ID NO: 6:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 215 amino acids
  - (B) TYPE: amino acid
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: protein
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 6:

Met Asp Tyr Gln Val Ser Ser Pro Ile Tyr Asp Ile Asn Tyr Tyr Thr Ser Glu Pro Cys Gln Lys Ile Asn Val Lys Gln Ile Ala Ala Arg Leu 25 Leu Pro Pro Leu Tyr Ser Leu Val Phe Ile Phe Gly Phe Val Gly Asn 40 Met Deu Val Ile Leu Ile Leu Ile Asn Cys Lys Arg Leu Lys Ser Met 55 Thr Asp Ile Tyr Leu Leu Asn Leu Ala Ile Ser Asp Leu Phe Phe Leu 75 70 Leu Thr Val Pro Phe Trp Ala His Tyr Ala Ala Ala Gln Trp Asp Phe 90 Gly Asn Thr Met Cys Gln Leu Leu Thr Gly Leu Tyr Phe Ile Gly Phe 105 100 Phe Ser Gly Ile Phe Phe Ile Ile Leu Leu Thr Ile Asp Arg Tyr Leu 120 115 Ala Val His Ala Val Phe Ala Leu Lys Ala Arg Thr Val Thr Phe 140 1430 135 Gly 🖟 al Val Thr Ser Val Ile Thr Trp Val Val Ala Val Phe Ala Ser 155 150 Leu⊨Pro Gly Ile Ile Phe Thr Arg Ser Gln Lys Glu Gly Leu His Tyr 170 165 Thr Cys Ser Ser His Phe Pro Tyr Ile Lys Asp Ser His Leu Gly Ala 190 185 Gly Pro Ala Ala Ala Cys His Gly His Leu Leu Gly Asn Pro Lys 205 200 195 Asn Ser Ala Ser Val Ser Lys 215. 210

- (2) INFORMATION FOR SEQ ID NO:7:
- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 360 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: None
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

Met Leu Ser Thr Ser Arg Ser Arg Phe Ile Arg Asn Thr Asn Glu Ser Gly Glu Glu Val Thr Thr Phe Phe Asp Tyr Asp Tyr Gly Ala Pro Cys His Lys Phe Asp Val Lys Gln Ile Gly Ala Gln Leu Leu Pro Pro Leu Tyr Ser Leu Val Phe Ile Phe Gly Phe Val Gly Asn Met Leu Val Val 55 Leu Ile Leu Ile Asn Cys Lys Lys Leu Lys Cys Leu Thr Asp Ile Tyr 75 Leu Leu Asn Leu Ala Ile Ser Asp Leu Leu Phe Ile Ile Thr Leu Pro Leu Trp Ala His Ser Ala Ala Asn Glu Trp Val Phe Gly Asn Ala Met 105 100 Cys Lys Leu Phe Thr Gly Leu Tyr His Ile Gly Tyr Phe Gly Gly Ile 125 120 Phe Phe Ile Ile Leu Leu Thr Ile Asp Arg Tyr Leu Ala Ile Val His 140 135 Wal Phe Ala Leu Lys Ala Arg Thr Val Thr Phe Gly Val Val Thr 155 150 Ser Wal Ile Thr Trp Leu Val Ala Val Phe Ala Ser Val Pro Gly Ile 170 165 Ile phe Thr Lys Cys Gln Lys Glu Asp Ser Val Tyr Val Cys Gly Pro 190 185 Tyr Phe Pro Arg Gly Trp Asn Asn Phe His Thr Ile Met Arg Asn Ile 200 Leu cly Leu Val Leu Pro Leu Leu Ile Met Val Ile Cys Tyr Ser Gly 220 215 Ile Leu Lys Thr Leu Leu Arg Cys Arg Asn Glu Lys Lys Arg His Arg 235 230 Ala Val Arg Val Ile Phe Thr Ile Met Ile Val Tyr Phe Leu Phe Trp 250 245 Thr Pro Tyr Asn Ile Val Ile Leu Leu Asn Thr Phe Gln Glu Phe Phe 265 Gly Leu Ser Asn Cys Glu Ser Thr Ser Gln Leu Asp Gln Ala Ile Gln 285 280 Val Thr Glu Thr Leu Gly Met Thr His Cys Cys Ile Asn Pro Ile Ile 300 295 Tyr Ala Phe Val Gly Glu Lys Phe Arg Arg Tyr Ile Ser Val Phe Phe 310 Arg Lys His Ile Xaa Xaa Xaa Phe Cys Lys Gln Cys Pro Val Phe Tyr 330 325 Arg Glu Thr Val Asp Gly Val Thr Ser Thr Asn Thr Pro Ser Thr Gly 350 345 Glu Gln Glu Val Ser Ala Gly Leu 360 355

#### (2) INFORMATION FOR SEQ ID NO:8:

#### (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 355 amino acids
- (B) TYPE: amino acid

- (C) STRANDEDNESS: single
  (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: None
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:

	•	•	_												
_				_					10					10	Tyr.
_			Val 20					ソち					30		
		2 -	Phe				40					47			
	- 0	Gly	Asn			55					60				
~ ~			Met		70					10					00
₩ <del></del>			Ile	0 =	Thr				90					,,	
			Val	Phe				105					T T O		
1 1.5		335	Gly				コつの					143			· · · ·
IJ	120	Arg	Tyr			175	Val				TAO				
Arg	Thr		Thr		150	Val				T22					100
AL			Ala	165	Leu				170					1,5	
-			Glu 180	Thr				185					190		
		- O C	Arg				ついい					200			
	$\sim$ $\sim$	Pro	Leu			715	Ala	Ile			220				
005	Leu				つてい	Xaa	Xaa			233				•	Leu 240
	Phe			215	Ala				250					233	Asn
			260	Ile	Ser			ソんち					270		Asn
		775	Ser				フメロ	Leu	Val			200			
	200	Tyr	Ser			295	Met	Asn			300				
205	Glu	Arg			าวาก	Tyr	Ile			313	)				Leu 320
	Met			つつに	Arg	Tyr			4 4 ()	Leu	Pro			222	
Glu	Arg	Ile	Ser 340	Ser	Val	Ser	Pro	Ser 345	Thr	Ala	Glu	Pro	Glu 350	Ile	Ser
Ile	Val	Phe						÷ • • •							

355

# (2) INFORMATION FOR SEQ ID NO:9:

# (i) SEQUENCE CHARACTERISTICS:

- (A) LENGTH: 355 amino acids
- (B) TYPE: amino acid (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: None
- (xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:

	12		, <u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>			-									
_				Asn					1 ()					<b></b>	
1 Asp	Tyr	Gly	Asp 20	Ala	Thr	Pro	Cys	Gln 25	Lys	Val	Asn	Glu	Arg 30	Ala	Phe
W.J		2 -	Leu	Leu			40					43			
111	E 0	Gly		Ile		55					90			•	
~ c=1	Lys			Thr	70					75					00
Lew				Phe 85					90					75	
Asp m			100	Phe				105					T T O		
TY		115	Gly	Leu			コンロ					122			
	120	Arg		Leu		1 4 5					エュぃ				
4 4 5	Thr			Phe	150					722					100
Ala				Ser 165					170					1,0	
			100	His				185					100		
		305		Leu			7010					200			
	$\alpha$	Pro	Leu	Leu		フィラ					220				
225	Leu	Leu		Arg	つてい					233					
Ile				215					- 250					233	Asn
			-260	Ile				- 2カコ					2,0		Glu
		つつに	Ser	Arg			280					200			Val
Ile	Ala 290	Tyr	Thr	His	Cys	Cys 295	Val	Asn	Glu	Val	Ile 300	Tyr	Ala	Phe	Val

Gly Glu Arg Phe Arg Lys Tyr Ile Arg Gln Leu Glu His Arg Arg Val 305 310 315 320

Ala Val His Leu Val Lys Trp Leu Pro Phe Leu Ser Val Asp Arg Ile 325 330 335

Glu Arg Val Ser Ser Thr Ser Pro Ser Thr Gly Glu His Glu Ile Ser 340

Ala Gly Phe 355

#### (2) INFORMATION FOR SEQ ID NO:10:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 360 amino acids
  - (B) TYPE: amino acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear
- (ii) MOLECULE TYPE: None

Ū

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:

W Me Asn Pro Thr Asp Ile Ala Asp Thr Thr Leu Asp Glu Ser Ile Tyr 10 Ser Asn Tyr Tyr Leu Tyr Glu Ser Ile Pro Lys Pro Cys Thr Lys Glu 20 Glay Ile Lys Ala Phe Gly Glu Leu Phe Leu Pro Pro Leu Tyr Ser Leu 40 Va Glu Val Phe Gly Leu Ile Gly Asn Ser Val Val Val Leu Val Leu 60 55 Phe Lys Tyr Lys Arg Ile Arg Ser Met Thr Asp Val Tyr Leu Leu Asn 75 Lew Ala Ile Ser Asp Leu Leu Phe Val Phe Ser Leu Pro Phe Trp Gly Tyr Tyr Ala Ala Asp Gln Trp Val Phe Gly Leu Gly Ile Cys Lys Met 110 105 100 Ile Ser Trp Met Tyr Leu Val Gly Phe Tyr Ser Gly Ile Phe Phe Val.-125 120 115 Met Ile Met Ser Ile Asp Arg Tyr Leu Ala Ile Val His Ala Val Glu 140 135 Xaa Xaa Xaa Ala Arg Thr Ile Ile Tyr Gly Val Ile Thr Ser Leu Ala 155 150 Thr Trp Ser Val Ala Val Phe Ala Ser Leu Pro Gly Phe Ile Phe Ser 170 165 Thr Cys Tyr Thr Glu Arg Asn His Thr Tyr Cys Lys Thr Lys Tyr Ser 190 185 Leu Asn Ser Thr Thr Trp Lys Val Leu Ser Ser Leu Glu Ile Asn Ile 200 Leu Gly Leu Val Ile Pro Leu Gly Ile Met Leu Phe Cys Tyr Ser Met 215 210 Ile Ile Arg Thr Leu Gln His Cys Lys Asn Glu Lys Lys Asn Lys Ala 235 230 Val Lys Met Ile Phe Ala Val Val Leu Phe Leu Gly Phe Trp Thr

250 245 Pro Tyr Asn Ile Val Leu Phe Leu Glu Thr Leu Val Glu Leu Glu Val 270 265 260 Ile Gln Asp Cys Thr Phe Glu Arg Tyr Leu Asp Tyr Ala Ile Gln Ala 280 275 Thr Glu Thr Leu Ala Phe Val His Cys Cys Leu Asn Pro Ile Ile Tyr 300 295 Phe Phe Leu Gly Glu Lys Phe Arg Lys Tyr Ile Ile Gln Leu Phe Lys 315 310 Xaa Xaa Xaa Gly Leu Phe Val Ile Cys Gln Tyr Cys Gly Leu Leu Gln 330 325 Ile Tyr Ser Ala Asp Thr Pro Ser Ser Ser Tyr Thr Gln Ser Thr Met 345 Asp His Asp Leu His Asp Ala Leu 355

### (2) INFORMATION FOR SEQ ID NO:11:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 54 amino acids
  - (B) TYPE: amino acid

Ū

IJ

**O** 

ħJ

N

m

- (C) STRANDEDNESS: single
- (D) TOPOLOGY: linear

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:11:

THE Cys Ser Ser His Phe Pro Tyr Ser Gln Tyr Gln Phe Trp Lys Asn 15 10 15 15

Phe Gln Thr Leu Lys Ile Val Ile Leu Gly Leu Val Leu Pro Leu Leu 25 30

Val Met Val Ile Cys Tyr Ser Gly Ile Leu Lys Thr Leu Leu Arg Cys 35 40 45

Arg Asn Glu Lys Lys Arg 50

#### (2) INFORMATION FOR SEQ ID NO:12:

- (i) SEQUENCE CHARACTERISTICS:
  - (A) LENGTH: 147 base pairs
  - (B) TYPE: nucleic acid
  - (C) STRANDEDNESS: single
  - (D) TOPOLOGY: linear

### (xi) SEQUENCE DESCRIPTION: SEQ ID NO:12:

TTTCCATACA GTCAGTATCA ATTCTGGAAG AATTTCCAGA CATTAAAGAT AGTCATCTTG
GGGCTGGTCC TGCCGCTGCT TGTCATGGTC ATCTGCTACT CGGGAATCCT AAAAACTCTG
CTTCGGTGTC GAAATGAGAA GAAGAGG
147

	(2) INFORMATION FOR SEQ ID NO.13.	
	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 34 amino acids</li> <li>(B) TYPE: amino acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:13:	
-	Pro Tyr Ile Lys Asp Ser His Leu Gly Ala Gly Pro Ala Ala Ala 15	
Cys	His Gly His Leu Leu Gly Asn Pro Lys Asn Ser Ala Ser Val 20 25 30	
Ser	Lys	
N M	(C) STRANDEDNESS: single (D) TOPOLOGY: linear	
TCE	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:14: AGGATCC AAGATGGATT ATCAAGT	27
Ċ ⊨	(2) INFORMATION FOR SEQ ID NO:15:	
	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 27 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	
•	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:15:	
CTG	GATCTAGA GCCATGTGCA CAACTCT	27
	(2) INFORMATION FOR SEQ ID NO:16:	
	<ul> <li>(i) SEQUENCE CHARACTERISTICS:</li> <li>(A) LENGTH: 20 base pairs</li> <li>(B) TYPE: nucleic acid</li> <li>(C) STRANDEDNESS: single</li> <li>(D) TOPOLOGY: linear</li> </ul>	

	<b>45</b>		
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:16:		
CCTGG	CTGTC CTCCATGCTG		20
	(2) INFORMATION FOR SEQ ID NO:17:  (i) SEQUENCE CHARACTERISTICS:  (A) LENGTH: 27 base pairs  (B) TYPE: nucleic acid  (C) STRANDEDNESS: single  (D) TOPOLOGY: linear	'1 '	
СТСАТ	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:17:	• •	2'